

1	APPLICATION	3
2	DESCRIPTION (FIG. A)	3
3	PACKAGE CONTENT LIST	3
4	SYMBOLS	4
5	GENERAL POWER TOOL SAFETY WARNINGS	4
	<i>Working area</i>	<i>4</i>
	<i>Electrical safety</i>	<i>4</i>
	<i>Personal safety</i>	<i>4</i>
	<i>Power tool use and care</i>	<i>5</i>
	<i>Service</i>	<i>5</i>
6	SPECIFIC SAFETY WARNINGS	5
7	ASSEMBLY	6
	<i>Mounting the swivel castors</i>	<i>6</i>
	<i>Mounting the hose</i>	<i>6</i>
	<i>Fitting and removing the motor housing</i>	<i>6</i>
	<i>Fitting the dust filter(FIG B)</i>	<i>6</i>
	<i>Mounting the tube to the hose</i>	<i>6</i>
8	OPERATION	6
	<i>Switching on and off</i>	<i>6</i>
	<i>Mounting dust bag</i>	<i>6</i>
	<i>Vacuuming up waste material</i>	<i>6</i>
	<i>Vacuuming up dust released from an electrical tool</i>	<i>6</i>
	<i>Vacuuming up liquids</i>	<i>6</i>
	<i>Blow function</i>	<i>7</i>
	<i>Emptying the tub</i>	<i>7</i>
9	CLEANING AND MAINTENANCE	7
	<i>Cleaning</i>	<i>7</i>
	<i>Cleaning the tub</i>	<i>7</i>
	<i>Cleaning the dust filter(FIG C)</i>	<i>7</i>
10	TECHNICAL DATA	7

11	SERVICE DEPARTMENT	7
12	STORAGE	8
13	WARRANTY	8
14	ENVIRONMENT	8
15	DECLARATION OF CONFORMITY	9

VACUUM CLEANER WET/DRY POWX320

1 APPLICATION

Your wet/dry cleaner has been designed for vacuuming up dry waste material and dust, as well as for vacuuming up liquids. It is not designed for commercial use.



WARNING! Read this manual and general safety instructions carefully before using the appliance, for your own safety. Your power tool should only be passed on together with these instructions.

2 DESCRIPTION (FIG. A)

- | | |
|----------------------------|--------------------------|
| 1. On/off switch | 7. Swivel castor |
| 2. Motor housing | 8. Hose |
| 3. Handy lip motor housing | 9. Handle |
| 4. Clamp | 10. Tube |
| 5. Tub | 11. Wet& Dry floor brush |
| 6. Hose connection | 12. 2 in 1 brush |

3 PACKAGE CONTENT LIST

- Remove all packing materials.
- Remove remaining packaging and transit supports (if existing).
- Check the completeness of the packing content.
- Check the appliance, the power cord, the power plug and all accessories for transportation damages.
- Keep the packaging materials as far as possible till the end of the warranty period. Dispose it into your local waste disposal system afterwards.



WARNING Packing materials are no toys! Children must not play with plastic bags! Danger of suffocation!

1pc VACUUM CLEANER
3pc Plastic tube
1 pc hose assemble
1pc paper dust bag
4 wheels







1pc wet & dry floorbrush
1pc 2 in 1 brush
1pc manual
1pcfilter



When parts are missing or damaged, please contact your dealer.

4 SYMBOLS

In this manual and/or on the machine the following symbols are used:

	Denotes risk of personal injury or damage to the tool.		Always wear safety goggles.
	Always wear hearing protection.		Always wear a dust mask.
	Always wear protective gloves.		Class II - The machine is double insulated; Earthing wire is therefore not necessary.

5 GENERAL POWER TOOL SAFETY WARNINGS

Read all safety warnings and all instructions. Failure to follow all heed warnings and follow instructions may result in electric shock, fire and/or serious injury. Save all Keep safety warnings and instructions for future reference. The term "power tool" in the safety warnings refers to your mains- operated (corded) power tool or battery- operated (cordless) power tool.

Working area

- Keep working area clean and well lit. Untidy and dark areas can lead to accidents.
- Do not operate power tools in potentially explosive surroundings, for example, in the presence of inflammable liquids, gases or dust. Power tools create sparks which may ignite the dust or fumes.
- Keep children and bystanders at a distance when operating a power tool. Distractions can cause you to lose control of it.

Electrical safety



Always check that the power supply corresponds to the voltage on the rating plate.

- Power tool plugs must match the outlet. Never modify the plug in any way. Do not use adapter plugs with earthed power tools. Unmodified plugs and matching outlets will reduce the risk of an electric shock.
- Avoid body contact with earthed surfaces such as pipes, radiators, kitchen ranges and refrigerators. There is an increased risk of an electric shock if your body is earthed.
- Do not expose power tools to rain or wet conditions. If water gets inside a power tool, it will increase the risk of an electric shock.
- Do not damage the cord. Never use the cord for carrying, pulling or unplugging the power tool. Keep the cord away from heat, oil, sharp edges or moving parts. Damaged or entangled cords increase the risk of an electric shock.
- When operating a power tool outdoors, use an extension cable suitable for outdoor use. Using a cord suitable for outdoor use reduces the risk of an electric shock.
- If operating a power tool in a damp location is unavoidable, use a power supply protected by a residual current device (RCD). Using an RCD reduces the risk of an electric shock.

Personal safety

- Stay alert, watch what you are doing and use common sense when operating a power tool. Do not use a power tool when you are tired or under the influence of drugs, alcohol or medication. A moment of inattention when operating a power tool may result in serious personal injury.

- Use safety equipment. Always wear eye protection. Using safety equipment such as a dust mask, non-skid safety shoes, a hard hat, or hearing protection whenever it is needed will reduce the risk of personal injury.
- Avoid accidental starts. Ensure the switch is in the off position before inserting the plug. Carrying power tools with your finger on the switch or plugging in power tools when the switch is in the on position makes accidents more likely.
- Remove any adjusting keys or spanners before turning on the power tool. A spanner or key left attached to a rotating part of the power tool may result in personal injury.
- Do not reach out too far. Keep your feet firmly on the ground at all times. This will enable you to retain control over the power tool in unexpected situations.
- Dress properly. Do not wear loose clothing or jewellery. Keep your hair, clothing and gloves away from the power tool. Loose clothes, jewellery or long hair can become entangled in the moving parts.
- If there are devices for connecting dust extraction and collection facilities, please ensure that they are attached and used correctly. Using such devices can reduce dust-related hazards.

Power tool use and care

- Do not expect the power tool to do more than it can. Use the correct power tool for what you want to do. A power tool will achieve better results and be safer if used in the context for which it was designed.
- Do not use the power tool if the switch cannot turn it on and off. A power tool with a broken switch is dangerous and must be repaired.
- Disconnect the plug from the power source before making adjustments, changing accessories, or storing power tools. Such preventive safety measures reduce the risk of starting the power tool accidentally.
- Store power tools, when not in use, out of the reach of children and do not allow people who are not familiar with the power tool or these instructions to operate it. Power tools are potentially dangerous in the hands of untrained users.
- Maintain power tools. Check for misalignment or jammed moving parts, breakages or any other feature that might affect the operation of the power tool. If it is damaged, the power tool must be repaired. Many accidents are caused by using poorly maintained power tools.
- Keep cutting tools sharp and clean. Properly maintained cutting tools with sharp cutting edges are less likely to jam and are easier to control.
- Use the power tool, accessories and cutting tools, etc., in accordance with these instructions and in the manner intended for the particular type of power tool, taking into account the working conditions and the work which needs to be done. Using a power tool in ways for which it was not intended can lead to potentially hazardous situations.

Service

- Your power tool should be serviced by a qualified specialist using only standard spare parts. This will ensure that it meets the required safety standards.

6 SPECIFIC SAFETY WARNINGS

- Do not vacuum up highly inflammable liquids, acids or thinners.
- Do not vacuum up water at a temperature above 60 °C.
- Do not vacuum up toxic substances.
- Never vacuum up dry waste material or dust without dust filter in place.
- Check whether the dust filter has been removed when using the machine for vacuuming up liquids.
- If you use an extension cord, it must be of a watertight construction.

7 ASSEMBLY

Mounting the swivel castors

- Remove the motor housing (2).
- Turn the tub (5) upside down and insert the swivel castors (7) in the openings creating an imaginary square while placing them.
- Turn the tub upright again.
- Re-fit the motor housing.

Mounting the hose

- Insert the hose (8) in the connection (6) and press it on firmly.

Fitting and removing the motor housing

- The motor housing has been locked to the tub with clamps.
- To remove the motor housing (2), first remove the clamps (4) and then lift it from the tub (5).
- To re-fit the motor housing, place it on the tub and tighten the clamps.

Fitting the dust filter(FIG B)

A dust bag is suitable for collecting small waste material and dust.

- Remove the motor housing (2).
- Place mesh around filter.
- Suspend the dust filter in the tub.
- Re-fit the motor housing.

Mounting the tube to the hose

- Connect hose and tube to handle with air valve.
- Place the required nozzle on the tail end of the tube.

8 OPERATION

Make sure the power cord has been fully unwound before you switch on the machine. The air leaving the grids must not be hindered.

When using the machine in combination with an electrical tool, switch on the machine first and then the electrical tool.

Switching on and off

- To switch the machine on, set the on/off switch (1) to "I".
- To switch the machine off, set the on/off switch (1) to "0".

Mounting dust bag

The vacuum cleaner can be used with/or without dust bag for dry usage.

Vacuuming up waste material

- Check whether the dust filter has been fitted.
- Mount the tube (10) to the hose (8).

Vacuuming up dust released from an electrical tool

- Check whether the dust filter has been fitted.
- Connect the hose (8) directly to the dust extraction outlet of the electrical tool.

Vacuuming up liquids

- Check whether the dust filter and dust bag have been removed.
- Make sure the inside of the tub (5) is clean and free from dust.
- Mount the tube (10) to the hose (8).

Blow function

- Connect the hose directly to the blow outlet of the vacuum cleaner.

Emptying the tub

- Switch off and unplug the machine.
- Remove the motor housing (2).
- Empty the tub (5).

9 CLEANING AND MAINTENANCE

Attention ! Before performing any work on the equipment, pull the power plug.

Cleaning

- Keep the ventilation slots of the machine clean to prevent overheating of the engine.
- Regularly clean the machine housing with a soft cloth, preferably after each use.
- Keep the ventilation slots free from dust and dirt.
- If the dirt does not come off use a soft cloth moistened with soapy water.



Never use solvents such as petrol, alcohol, ammonia water, etc. These solvents may damage the plastic parts.



Do not submerge the motor housing in water!

Cleaning the tub

- Empty and clean the tub (5) after each use.
- Dry the tub carefully after the machine has been used for vacuuming up liquids.

Cleaning the dust filter(FIG C)

- Shake out the dust from the dust filter after each use.
- Remove mesh and clean it carefully.

10 TECHNICAL DATA

	POWX320
Mains Voltage	220-240V
Frequency	50 Hz
Power input	800 W
Tub capacity	10 l
Weight	4,5 kg

11 SERVICE DEPARTMENT

- Damaged switches must be replaced by our after-sales service department.
- If the connecting cable (or mains plug) is damaged, it must be replaced by a special connecting cable which is available from our service department. Replacement of the connecting cable should only be carried out by our service department (see last page) or by a specialist (qualified electrician).

12 STORAGE

- Thoroughly clean the whole machine and its accessories.
- Store it out of the reach of children, in a stable and secure position, in a cool and dry place, avoid too high and too low temperatures.
- Protect it from exposure to direct sunlight. Keep it in the dark, if possible.
- Don't keep it in plastic bags to avoid humidity build-up.

13 WARRANTY

- This product is warranted as provided by law for a 36 -month period effective from the date of purchase by the first user.
- This warranty covers all material or production flaws. It does not include defective parts subject to normal wear & tear such as bearings, brushes, cables, and plugs, or accessories such as drills, drill bits, saw blades, etc. ; damage or defects resulting from maltreatment, accidents or alterations; nor the cost of transportation.
- This warranty covers all material or production flaws, excluding batteries, chargers, defective parts subject to normal wear and tear such as, in particular, bearings, brushes, cables, plugs... Accessories such as drills, drill bits, saw blades etc. also do not fall under this warranty.
- Damage and/or defects resulting from inappropriate use also do not fall under the warranty provisions.
- We also disclaim all liability for any bodily injury resulting from inappropriate use of the tool.
- Repairs may only be carried out by an authorised customer service centre for Powerplus tools.
- You can always obtain more information at the number 00 32 3 292 92 90.
- Any transportation costs shall always be borne by the customer, unless agreed otherwise in writing.
- At the same time, no claim can be made on the warranty if the damage of the device is the result of negligent maintenance or overload.
- Definitely excluded from the warranty is damage resulting from fluid permeation, excessive dust penetration, intentional damage (on purpose or by gross carelessness), inappropriate usage (use for purposes for which the device is not suitable), incompetent usage (e.g. not following the instructions given in the manual), inexpert assembly, lightning strike, erroneous net voltage. This list is not exhaustive.
- Acceptance of claims under warranty can never lead to the prolongation of the warranty period nor commencement of a new warranty period in case of a device replacement.
- Devices or parts which are replaced under the warranty therefore remain the property of Varo NV.
- We reserve the right to reject a claim whenever the purchase cannot be verified or when it is clear that the product has not been properly maintained. (Clean ventilation slots, carbon brushes serviced regularly, etc.).
- Your purchase receipt must be kept as proof of date of purchase.
- Your appliance must be returned undismantled to your dealer in an acceptably clean state, (in its original blow-moulded case if applicable to the unit), accompanied by proof of purchase.

14 ENVIRONMENT



Should your appliance need replacement after extended use, do not dispose of it with the household refuse, but in an environmentally safe way.

Waste produced by electrical machine items should not be handled like normal household rubbish. Please recycle where recycle facilities exist. Check with your Local Authority or retailer for recycling advice.

15 DECLARATION OF CONFORMITY



VARO N.V. - Joseph Van Instraat 9 - BE2500 Lier - BELGIUM, declares that,

Product: Vacuumcleaner Wet/Dry

Trade mark : POWERplus

Model : POWX320

is in conformity with the essential requirements and other relevant provisions of the applicable European Directives as they relate to European harmonized standards. Any unauthorized modification of the apparatus voids this declaration.

European Directives (including, if applicable, their amending directives):

2006/95/EC

2004/108/EC

2011/65/EU

European harmonized standards, and their amendments:

EN60335-1 : 2002

EN60335-2-2 : 2010

EN55014-1 : 2006

EN55014-2 : 1997

EN61000-3-2 : 2006

EN61000-3-3 : 2008

The undersigned acts on behalf of and under the power of attorney granted by the company management,

Philippe Vankerkhove
Certification Manager
31/10/2012